


**Esko Kongsberg G42458315 42458315**  
**BLD-SF429 i-429 iEcho E29**  
**Mécanuméric 100610430 Zünd 3910319**  
**Z29 Blackman & White BW29**  
**Gerber MCT SE29 895029**  
**Summa 500-9814 500-0814**  
**Colex T00428 GUNNAR**  
**GZ29 Oscillating Knife Blades**



Thickness / Type

0.63 mm.

Max. cutting depth

30 mm

Pre-cut

$1.9 + 0.06 \times T_m$

Post-cut

-

Composition

Tungsten Carbide - HM - Hard Metal

Tool

EOT-250

Electric Oscillating Tool (EOT) / Electric Oscillating Cutting Tool

POT 1,5

Pneumatic Oscillating Tool (POT) / Pneumatic Oscillating Cutting Tool

Recommended materials

Corrugated cardboard

Foam board / Foam

Insulating mat

Compatible Brand

Aoke-Kasemake Aristo Atom Balacchi Blackman &

White Comagrav Combi Pro DYSS Data Technology Delta

Diemaking Filiz Humantec Lectra Mimaki Mécanuméric SMRE Sa

murai Summa Wild Leica Zünd iEcho Esko Kongsberg

Knife width

4,0 mm

Suitable for machine manufacturer: BT-2329 [Esko](#) Kongsberg  
G42458315 42458315 BLD-SF429 i-429, [iEcho](#) E29, Mécanuméric  
100610430, [Zünd](#) 3910319 Z29, [Blackman &](#)  
[White](#) BW29, [Gerber](#) MCT SE29 895029, [Summa](#) 500-9814  
500-0814, [Colex](#) T00428, GUNNAR GZ29