

**Esko Kongsberg G42442244 42442244
T28 Esko Kongsberg G42458307
42458307 BLD-SF428 i-428 iEcho E28
Mécanuméric 100610600 Summa
500-0814 500-9814 Blackman & White
BW28 Colex T00425 Gerber MCT SE28
GUNNAR GZ28 Zund Z28 3910318
Oscillating Knife Blades**



Thickness / Type

0.63 mm.

Max. cutting depth

25 mm

Pre-cut

$1.9 + 0.07 \times T_m$

Post-cut

-

Composition

Tungsten Carbide - HM - Hard Metal

Tool

Electric Oscillating Tool (EOT) / Electric Oscillating Cutting Tool

Recommended materials

Corrugated cardboard Foam board / Foam Insulating mat

Compatible Brand

Aristo Atom Comagrav Combi Pro Data Technology Delta

Diemaking Esko Kongsberg Mimaki SMRE Summa [Zünd](#)

Knife width

4,0 mm

Suitable for machine manufacturer: TC knife [blade](#) Z28 XZ0028

BT-2328 Esko Kongsberg G42442244 42442244 T28 Esko

Kongsberg G42458307 42458307 BLD-SF428 i-428 iEcho E28

Mécanuméric 100610600, Summa 500-0814 500-9814 Blackman &

White BW28 Colex T00425 Gerber MCT SE28 GUNNAR

GZ28 [Zund](#) Z28 3910318

