

FC8600-160 (64")
HIGH PERFORMANCE CUTTING PLOTTER
600G Down Force | 58.5 Inches Per Second | 50ft.
Accurate Tracking



**FOR
SALE**

**NO REASONABLE
OFFER REFUSED!**
**Can be purchased
individually or all
together!**

**Call Jodi Hodson,
234-205-8410
for more information.**

Known around the world for its high precision cutting, and build quality, the FC8600 is the ultimate finishing solution for the signage, apparel, and automotive markets.

Included Graphtec Pro Studio and Cutting Master 4 software provide all of the tools needed to create stunning print & cut signage, decals, apparel and more. Utilizing the strength of the Advanced Registration Mark Sensing system (ARMS), and its 600g of down force, even the most challenging medias such as high intensity reflective are cleanly cut.



Wide-format inkjet printer JV300-160

FOR SALE




Outstanding Speed
High-speed print at 105.9m²(1140ft 2)
per hour

***Print conditions: CMYK/ 360x360dpi/
Bi/ Hi / Media: Banner**

**The maximum ink droplet size, 35pl,
allows practical printing at high-
speed and low-resolution mode!**

Excellent color reproducibility creates superior quality prints.

Mimaki has been providing a new solution and idea, which meet the signage market. Orange and light-black inks are new solutions from Mimaki to obtain never-before-seen prints. The JV300 creates more attractive prints for a wide range of applications.



Various solutions for continuous print operation.

**To maintain stable and high-quality printing, nozzles of
printheads are monitored and cleaned automatically.**

Various functions assuring higher productivity.

**NO REASONABLE
OFFER REFUSED!**

Can be purchased individually or all together!

**Call Jodi Hodson, 234-205-8410
for more information.**



Gfp 463TH Top Heat Laminator

FOR SALE



**NO REASONABLE
OFFER REFUSED!**

**Can be purchased
individually or all together!**

**Call Jodi Hodson,
234-205-8410
for more information.**



The Gfp 463TH laminator is a money maker. Easy to operate, a favorite with operators that prefer a simple time-saving set-up and variable roller gap adjustment. Ruggedly built for applications that require overlamination, mounting or the pre-coating of boards. Thanks to oversized rollers and 1 inch roller gap, you'll be making money in no time.



- Roller diameter 4.5"
- Dual tension control
- Speed and temperature controls
- Foot pedal
- 2 unwind supply shafts
- 1 aluminum take-up mandrel
- Swing up feed table
- Motorized rear rewind option

- Variable roller gap to 1"
- Photoelectric eye
- Front unwind basket
- Removable In-feed pressure roller
- 3" core film chucks
- Machine stand with casters
- 36" table height output
- CE Certified