

Search Roland




Inkjet Printers + Print/Cut

Cutting

Engraving

Scanning & Milling

Sc



SOLJET PRO III XJ Series

[Overview](#)[Features](#)[Specifications](#)[Brochure](#)[Accessories](#)[Technical Support](#)

SOLJET PRO III XJ-540, XJ-640, & XJ-740

Model	XJ-540	XJ-640	XJ-740
Printing Method	Piezo Inkjet		
MEDIA			
Acceptable Media Width	8.2" to 53.97" (210mm to 1371mm)	8.2" to 63.97" (210mm to 1625mm)	8.2" to 73.97" (210mm to 1879mm)
Acceptable Media Weight	66 lbs (30kg)	88 lbs (40kg)	103 lbs (47kg)
Acceptable Media Thickness	1.0mm		
Acceptable Roll Diameter	9.8" (250mm)		
INK CARTRIDGES			
Type	Roland ECO-SOL MAX® INK		
Capacity	220 or 440 cc		
Colors	6 Colors, (CMYKLcLm) or 4 Colors (CMYKMC)		
Printing Resolution	Max 1440 dpi		
PRINTING SPEEDS			
Banner			

Billboard	441 sfph	449.5 sfph	458 sfph
360 X 360	(41.0 sq m/hr)	(41.8 sq m/hr)	(42.6 sq m/hr)
High-Speed	302 sfph	312 sfph	333 sfph
540 X 360	(28 sq m/hr)	(29 sq m/hr)	(31 sq m/hr)
Standard	150 sfph	159 sfph	166 sfph
360 X 720	(14.0 sq m/hr)	(14.8 sq m/hr)	(15.5 sq m/hr)
High Quality	75 sfph	80 sfph	83 sfph
720 X 720	(7.0 sq m/hr)	(7.4 sq m/hr)	(7.7 sq m/hr)
Vinyl			
High Speed	209 sfph	216 sfph	224 sfph
540 X 360	(19.5 sq m/hr)	(20.1 sq m/hr)	(20.9 sq m/hr)
Standard	150 sfph	159 sfph	166 sfph
360 X 720	(14.0 sq m/hr)	(14.8 sq m/hr)	(15.5 sq m/hr)
Standard	103 sfph	105 sfph	107 sfph
540 X 720	(9.6 sq m/hr)	(9.8 sq m/hr)	(10 sq m/hr)
High Quality	75 sfph	80 sfph	83 sfph
720 X 720	(7.0 sq m/hr)	(7.4 sq m/hr)	(7.7 sq m/hr)
High Quality	63 sfph	66 sfph	69 sfph
720 X 1440	(5.9 sq m/hr)	(6.2 sq m/hr)	(6.5 sq m/hr)
Artistic	31 sfph	33 sfph	34 sfph
1440 X 1440	(2.9 sq m/hr)	(3.1 sq m/hr)	(3.2 sq m/hr)
Interface	Ethernet (10Base-T/100 Base-TX Auto Switching)		
Power Saving Function	Automatic Sleep Mode		
Power Supply			
Voltage & Frequency	AC 100 V +/- 10% 50/60 HZ		
Required Power Capacity	13 A (100 to 120 V) or 7 A (220 to 241 V)		
Power Consumption			
Printing mode	Approximately 1600 W		
Standby mode	Approximately 47 W		
Acoustic Noise Level	During Operation 64 db (A) or less (ISO 7779) During Standby 45 db (A) or less (ISO 7779)		
Dimensions and weight			
Standard (w/ Dryer/Ink Tray/Stand)	(W) 106" X (D) 48" X (H) 50"	(W) 116" X (D) 48 X (H) 50"	(W) 125" X (D) 48" x (H) 50"
Metric (w/ Dryer/Ink Tray/Stand)	(W) 2,694mm X (D) 1,210mm X (H) 1,260mm	(W) 2,948mm X (D) 1,210mm X (H) 1,260mm	(W) 3,169mm X (D) 1,210mm X (H) 1,260mm
Weight	338 lbs (197kg)	470 lbs (213 kg)	496 lbs (225kg)
Items included	Printer, Stand, Ink Tray, Waste Bottle, Media Clamps, User Manual, Roland Versa Works, Sheet		

Cutting Blades, Cleaning Kit,

Heater / Dryer Unit

Heaters 3

Heater Locations Front, Print, Rear



[R-Net Pro](#) • [Privacy Statement](#) • [Terms of Use](#) • [Code of Conduct](#) • [User Forums](#) • [Dealer Locator](#) • [Search](#)